



[www.estesrockets.com](http://www.estesrockets.com)

ESTES AIR™

READY TO FLY ROCKETS

SKILL LEVEL KITS

ROCKET CARS

SPECIALTY



[www.coxmodels.com](http://www.coxmodels.com)

CONTROL LINE

FREE FLIGHT

RADIO CONTROL

REMOTE CONTROL

# 2001 Catalog

## ESTES AIR™



**1853 Cyclone™**  
Water Powered Glider  
Wingspan: 15.5 in. (39.4 cm)



**1854 Jet Slix™**  
Air Powered Glider  
Length: 6.25 in.  
(15.9 cm)

**1875 GL-X200™**  
AIR ROCKET SYSTEM  
Max Alt.: 250 ft  
(76 m)

**New!**

READY-TO-FLY

The image shows a large, blue and yellow launch system with a yellow rocket attached. A child is shown in the background holding a remote control. The launch system has the 'ESTES AIR' logo on it.

## ROCKET CARS


### 2030 Screamin' Eagle™

Land Speed Race Set  
Car Length: 16.5 in. (41.9 cm)  
Track Length: 500 ft. (152 m)  
For Estes® D11-P  
Rocket Motors ONLY!



### 9114 Blurzz™ ROCKET CAR ASSORTMENT

Car Length: 12.5 in. (31.8 cm) Track Length: 90 ft. (27.4 m)



## SPECIALTY



**9117 Spicy Wings™**  
Rechargeable Mini  
Electric Free Flight Airplanes  
Wingspan: 13 in. (33 cm)

### 8300 Kick It™ Power Puck™

Floating Play Puck  
Includes Rechargeable NiCd  
Battery and Charger



## READY-TO-FLY STARTER SETS



HOLOGRAPHIC DESIGN

### 1811 Tidal Wave™

Length: 18 in. (45.7 cm)  
Max Alt.: 600 ft. (183 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5



HOLOGRAPHIC DESIGN

### 1812 Ionizer™

Length: 18 in. (45.7 cm)  
Max Alt.: 600 ft. (183 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5

EVERY STARTER SET INCLUDES LAUNCH EQUIPMENT & FLIGHT SUPPLIES!



4 "AA" Batteries required - not included



### 1813 AstroCam® RTF

Length: 18.38 in. (46.7 cm)  
Max Alt.: 500 ft. (152 m)  
12 in. (30 cm) Parachute  
C6-7 ONLY



### 1814 Recon™

Length: 17.5 in. (44.5 cm)  
Max Alt.: 555 ft. (169 m)  
12 in. (30 cm) Parachute  
B4-2, B6-2, C6-3, C6-5



### 1816 Free Fall™

Length: 18 in. (45.7 cm)  
Max Alt.: 500 ft. (152 m)  
12 in. (30 cm) Parachute  
B4-2, B6-2, C6-3, C6-5



### 1818 Missile Command™

Army Length: 16.6 in. (42.2 cm)  
Max Alt.: 1100 ft. (335 m)  
Navy Length: 16 in. (40.6 cm)  
Max Alt.: 1000 ft. (305 m)  
Two- 12 in. (30 cm) Parachutes  
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



HOLOGRAPHIC DESIGN

### 1824 Goddard™

Length: 18 in. (45.7 cm)  
Max Alt.: 600 ft. (183 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5



### 1841 Mighty Missiles® Outlaw™

Length: 5.13 in. (13 cm)  
Max Alt.: 600 ft. (183 m)  
Streamer Recovery  
1/4A3-3T, 1/2A3-2T, A3-4T, A10-3T  
(Comes with special launcher - not pictured)

## READY-TO-FLY ROCKETS



### 1804 Hyper X™

Length: 19.5 in. (49.5 cm)  
Max Alt.: 535 ft. (163 m)  
12 in. (30 cm) Parachute  
B4-2, B6-2, B6-4, C6-3, C6-5



### 1806 X-Flyers™

X-Flyer 1 Length: 15.3 in. (38.9 cm)  
Max Alt.: 1425 ft. (434 m)  
X-Flyer 2 Length: 15.8 in. (40.1 cm)  
Max Alt.: 1280 ft. (390 m)  
A8-3, B6-6, C6-7



### 1807 Snitch™



### 1809 Jinx™



### 1826 Mini Marz Lander™



### 1840 Torque™ & Fury™



### 1847 Cruise Missile™

Unless specified otherwise, all products require assembly. Construction supplies required - not included.

ESTES® and COX® products are recommended for ages 10 and up.  
Adult supervision for those under 12.  
Quantities of some products are limited.



www.estesrockets.com

## EZX® SERIES STARTER SETS

NO PAINTING REQUIRED! Each kit includes plastic fins, nose cone & precolorled body tube.



### 1410 Airwalker™

Length: 20 in. (50.8 cm)  
Max Alt.: 1000 ft. (305 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-3, C6-5



### 1449 Super Shot™

Super Shot™ Length: 16.5 in. (41.9 cm)  
Max Alt.: 1000 ft. (305 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7  
Twister™ Length: 9.5 in. (24.1 cm)  
Max Alt.: 1000 ft. (305 m)  
Helicopter Recovery  
A8-3, B4-4, B6-4, B6-6



### 1465 Helicat™

Length: 33.5 in. (85.1 cm)  
Max Alt.: 485 ft. (148 m)  
Rocket Recovery:  
18 in. (46 cm) Parachute  
Nose Cone Recovery:  
Helicopter  
B4-2, B6-2, C6-3, C6-5



### 1467 Space Shuttle™

Length: 14.75 in. (37.5 cm)  
Max Alt.: 300 ft. (91 m)  
Shuttle Recovery: Glider  
Power Pod:  
18 in. (46 cm) Parachute  
C6-3 ONLY



### 1472 Scorpion™

Length: 15 in. (38.1 cm)  
Max Alt.: 1200 ft. (366 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5, C6-7



### 1474 Mega Max™

Goliath™ Length: 28 in. (71.1 cm)  
Max Alt.: 500 ft. (152 m)  
18 in. (46 cm) Parachute  
B4-2, B4-4, B6-2, B6-4, C6-5  
Spitfire SSI™ Length: 16.25 in. (41.3 cm)  
Max Alt.: 900 ft. (274 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5, C6-7



Every Starter Set Includes:  
**LAUNCH  
EQUIPMENT AND  
FLIGHT SUPPLIES!**

4 "AA" Batteries required -  
not included

## E2X® SERIES ROCKET KITS

NO PAINTING REQUIRED! Each kit includes plastic fins, nose cone & precolorled body tube.



### 834 X-Ray™

Length: 14.8 in. (37.6 cm)  
Max Alt.: 600 ft. (182 m)  
Streamer Recovery  
1/2A3-2T, A3-4T, A10-3T



### 86 Gnome™

Length: 10.3 in. (26.0 cm)  
Max Alt.: 800 ft. (244 m)  
Streamer Recovery  
1/2A3-4T, A3-4T, A10-3T



### 1256 Alpha III®

Length: 12.3 in. (31.1 cm)  
Max Alt.: 1100 ft. (335 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



### 2860 Banshee™

Length: 16.6 in. (42.2 cm)  
Max Alt.: 1000 ft. (305 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



### 2157 Flash™

Length: 28.3 in. (71.9 cm)  
Max Alt.: 1000 ft. (305 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



### 2156 AGM-57X Headseeker™

Length: 18.6 in. (47.2 cm)  
Max Alt.: 800 ft. (244 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



### 2159 FireFlash™

Length: 41.6 in. (105.7 cm)  
Max Alt.: 800 ft. (244 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5, C6-7

2130 Mach-12™

2131 Mk-109 Stingray™

2132 Banshee™

2133 AstroSat LSX™

2077 Skywinder™

## ROCKET KITS-Skill Level 1

QUICK & EASY TO BUILD! Some sanding, cutting & painting required.



### 801 Mosquito™

Length: 3.9 in. (9.9 cm)  
Max Alt.: 800 ft. (244 m)  
Featherweight Recovery  
1/4A3-3T, 1/2A3-4T, A3-4T, A10-3T



### 802 Quark™

Length: 5.2 in. (13.2 cm)  
Max Alt.: 700 ft. (213 m)  
Featherweight Recovery  
1/4A3-3T, 1/2A3-4T, A3-4T, A10-3T



### 1225 Alpha™

Length: 12.3 in. (31.2 cm)  
Max Alt.: 1000 ft. (305 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



### 1292 Wizard™

Length: 12 in. (30.5 cm)  
Max Alt.: 1500 ft. (457 m)  
Streamer Recovery  
A8-3, B4-4, B6-4, B6-6, C6-5, C6-7



www.estesrockets.com

## ROCKET KITS-Skill Level 1

QUICK & EASY TO BUILD! Some sanding, cutting & painting required.



**1381 Yankee™**  
Length: 11 in. (27.9 cm)  
Max Alt.: 1400 ft. (427 m)  
Streamer Recovery  
A8-3, B4-4, B6-4  
B6-6, C6-5, C6-7



**1948 Big Bertha®**  
Length: 24 in. (61 cm)  
Max Alt.: 500 ft. (152 m)  
18 in. (46 cm) Parachute  
B4-2, B4-4, B6-2, B6-4, B6-6, C6-5



**1949 Viking™**  
Length: 12.1 in. (30.7 cm)  
Max Alt.: 1470 ft. (448 m)  
Streamer Recovery  
A8-3, B4-4, B6-4, C6-5, C6-7



**1960 Nova Payloader™**  
Length: 21 in. (53.6 cm)  
Max Alt.: 1000 ft. (305 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5  
With Payload: B4-2, B6-2, C6-3



**2893 Mangos™**  
Length: 26.5 in. (67.3 cm)  
Max Alt.: 1600 ft. (488 m)  
Streamer Recovery  
1 Stage: A8-3, B4-4, B6-4, C6-5  
2 Stages: Booster: C6-0  
2nd Stage: B6-6, C6-7



**2136 Fat Boy™**  
Length: 12.9 in. (32.8 cm)  
Max Alt.: 325 ft. (99 m)  
18 in. (46 cm) Parachute  
B4-2, B6-2, C6-3



**2170 Star Dart™**  
Length: 12.75 in. (32.4 cm)  
Max Alt.: 2010 ft. (613 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, B6-6,  
C6-5, C6-7



**2171 Sizzler®**  
Length: 11.75 in. (29.9 cm)  
Max Alt.: 2040 ft. (622 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, B6-6,  
C6-5, C6-7



**2172 Monarch™**  
Length: 17.25 in. (43.8 cm)  
Max Alt.: 1225 ft. (373 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5

**2112 Trans Wing™ Super Glider™**  
**2120 Venus Probe™**  
**2153 AIM-120 AMRAAM**  
**2163 Exo Skell™**

## ROCKET KITS-Skill Level 2

FIRST LEVEL OF CRAFTSMANSHIP. Requires skill in building & painting.



**1295 Mean Machine™**  
Length: 78.75 in. (200 cm)  
Max Alt.: 600 ft. (183 m)  
24 in. (61 cm) Parachute  
D12-5 ONLY



**1958 Black Brant II™**  
Length: 24.9 in. (63.2 cm)  
Max Alt.: 1170 ft. (357 m)  
18 in. (46 cm) Parachute  
D12-5 ONLY



**2075 A.R.V. Condor™**  
Booster: 18.5 in. (47 cm)  
Drone: 6.1 in. (15.5 cm)  
Max Alt.: 700 ft. (213 m)  
Drones: Glider Recovery  
Booster: Streamer Recovery  
B4-2, B6-2, C6-3



**2136 Gemini DC™**  
Length: 21.5 in. (54.6 cm)  
Max Alt.: 800 ft. (244 m)  
Two 12 in. (30 cm) Parachutes  
B4-2, B4-4, B6-2, B6-4, C6-5

## ROCKET KITS-Skill Level 2

FIRST LEVEL OF CRAFTSMANSHIP. Requires skill in building & painting.



### 2162 Big Daddy™

Length: 19 in. (48.3 cm)  
Max Alt.: 350 ft. (107 m)  
24 in. (61 cm) Parachute  
D12-3, D12-5



### 2167 Mercury Redstone™

Length: 23.5 in. (59.7 cm)  
Max Alt.: 500 ft. (152 m)  
12 in. (30 cm) Parachute  
18 in. (46 cm) Parachute  
B6-4, C6-3, C6-5



### 2173 Menace™

Length: 18 in. (45.7 cm)  
Max Alt.: 650 ft. (198 m)  
18 in. (46 cm) Parachute  
A8-3, B4-4, B6-4, C6-5



### 2174 Polaris™

Length: 18.75 in. (47.6 cm)  
Max Alt.: 1000 ft. (305 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5



### 2175 Nemesis™

Length: 16.25 in. (41.3 cm)  
Max Alt.: 1225 ft. (373 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5



### 7000 Bull Pup 120™

Length: 15.6 in. (39.6 cm)  
Max Alt.: 675 ft. (206 m)  
12 in. (30 cm) Parachute  
A8-3, B4-4, B6-4, C6-5



### 2199 The Dude™

Length: 88 in. (223.5 cm)  
Max Alt.: 300 ft. (91 m)  
12 in. (30 cm) Parachute  
D12-3 ONLY

## ROCKET KITS-Skill Level 3

SECOND LEVEL OF CRAFTSMANSHIP.  
Requires higher level of skill in building & painting.



### 1380 Phoenix™

Length: 30 in. (76.2 cm)  
Max Alt.: 350 ft. (107 m)  
18 in. (46 cm) Parachute  
D12-3 ONLY



### 1382 Comanche™

Length: 41 in. (104.1 cm)  
Max Alt.: 2600 ft. (793 m)  
2 Streamers  
1 Stage: A8-3, B4-4, B6-4, C6-5  
2 or 3 Stages: Booster - D12-0  
2nd Stage - C6-0  
3rd Stage - B6-6, C6-7



### 2176 EchoStar™

Length: 29 in. (73.7 cm)  
Max Alt.: 1200 ft. (366 m)  
18 in. (46 cm) Parachute  
1 Stage: B4-4, B6-4, C6-5  
2 Stages: Booster: C6-0  
2nd Stage: B6-6, C6-7



### 2177 Night Wing™

Length: 19 in. (48.3 cm)  
Max Alt.: 650 ft. (198 m)  
18 in. (46 cm) Parachute  
B4-4, B6-4, C6-5



For more information on all  
Estes® and Cox®  
products, visit us at:  
[www.estesrockets.com](http://www.estesrockets.com)

## RADIO CONTROL ELECTRIC AIRPLANES



**8203 XB-29 Airlifter™**  
Wingspan: 50 in. (127 cm)



**8206 Boomerang™**  
Wingspan: 33.5 in. (85.1 cm)



**8207 Air-O-Commander™**  
Wingspan: 32 in. (81.3 cm)



**8212 Electro™ J3 Cub**  
Wingspan: 29.5 in. (75 cm)



**8214 Black Max™**  
Wingspan: 32 in. (81.3 cm)

EACH RADIO CONTROL ELECTRIC AIRPLANE COMES COMPLETE WITH RADIO, FLIGHT PACK & CHARGER!



## SKY CRUISERS™ ELECTRIC FLYING AIRPLANES



**5841 Highway Patrol Free Flight**  
Wingspan: 21.5 in. (54.6 cm)



**5842 Viper™ Free Flight**  
Wingspan: 20.5 in. (52.1 cm)



**5845 ElectroStar™ Control Line**  
Wingspan: 18.25 in. (46.4 cm)



**8205 Lectro Liners™ A-7 Bomb Drop**  
Wingspan: 9.5 in. (24.1 cm)

## CONTROL LINE AIRCRAFT-GLOW



**6030 Backdraft™**  
Wingspan: 18 in. (45.7 cm)



**6040 Slipstream™**  
Wingspan: 22 in. (55.9 cm)



**6050 Apache Helicopter**  
Rotor Span: 15 in. (38.1 cm)



**9880 Extra 300s**  
Wingspan: 19.5 in. (49.5 cm)



405 Starting Kit Pictured  
Products using .049 glow fuel engines require a 405 or 885 Starting Kit - Sold separately.

## FREE FLIGHT AIRCRAFT-GLOW



**4420 Comanche Helicopter**



**4500 Attack Cobra Helicopter**



**4800 Sky Jumper® Helicopter**

Free Flight Helicopters have 19.5 (49.5 cm) Rotor Span.



**5300 Recon™**  
Wing Span: 47 in. (119.4 cm).  
Length: 31 in. (78.7 cm)



Camera not included



1295 H Street  
Penrose, CO 81240  
www.coxmodels.com